exercise::08 Document Preflight Group Exercise

InDesign Preflight Skills-To-Date ::

Make notes in the blank areas documenting what needs to be fixed in the document.

Group Members:		Layout to Review: 01_Amlin
☐ Pass ☐ Needs Fixing	Files are given meaningful names and can be designer. No duplicate images.	understood by people other than the
☐ Pass ☐ Needs Fixing	Document page setup is correct for document Pages options, Reader spreads in most cases; layouts)	
☐ Pass ☐ Needs Fixing	Margin guides are set, and important imagery	does not extend outside the live area.
☐ Pass ☐ Needs Fixing	Bleed is specified in the document setup, and artwork on the edge aligned to Bleed guides).	is used correctly in the design (all
☐ Pass ☐ Needs Fixing	No extra Master pages or document pages.	
☐ Pass ☐ Needs Fixing	Crossover elements are controlled in the designalignment are designed away from the center	
☐ Pass ☐ Needs Fixing	Clean up frames—No unused image or text fra correctly for contents and to avoid unnecessar	·

☐ Pass ☐ Needs Fixing	Items that should snap to grid or should be aligned are aligned.
☐ Pass ☐ Needs Fixing	No text frame overruns (overset text).
☐ Pass ☐ Needs Fixing	If layers are used, layers are named and no extra layers are included.
☐ Pass ☐ Needs Fixing	Object stacking order: Transparent objects are towards the back when possible.
☐ Pass ☐ Needs Fixing	All images are present and linked correctly (ignore modified notifications).
☐ Pass ☐ Needs Fixing	Only professional file formats are used.
☐ Pass ☐ Needs Fixing	Complex Photoshop .psd files are simplified by merging layers while retaining transparency.
☐ Pass ☐ Needs Fixing	Extremely complex vector artwork is rasterized at the correct resolution for the output size and device.
☐ Pass ☐ Needs Fixing	Color modes: RGB <i>or</i> CMYK photos only — no mixing of color modes. If JPEG is used, only RGB or Grayscale color mode are used.
☐ Pass ☐ Needs Fixing	Minimum effective resolution is met: 300dpi for grayscale/color, 600+dpi for bitmapped/line art.

☐ Pass ☐ Needs Fixing	Images are scaled proportionally (same for both X and Y).
☐ Pass ☐ Needs Fixing	ICC Profiles are synchronized across all images.
☐ Pass ☐ Needs Fixing	All links are current, updated and included; No doubly-linked files.
☐ Pass ☐ Needs Fixing	Typefaces in logo and other single-page vector artwork is converted to outlines.
☐ Pass ☐ Needs Fixing	Transparency is used correctly in both vector and raster images. The Raster Effects Setting for transparent vector artwork is set high enough for commercial printing.